





Five Reciprocation Modes(MO)



Reverse Reciprocation-One Mode

Counter clockwise&clockwise movement

Fwd 30° - Rev 150°

For reciprocating files



Forward Reciprocation-Four Modes

Clockwise&counter clockwise movement

Fwd 150° - Rev 30° | Fwd 180° - Rev 30°

Fwd 210° - Rcv 30° | Fwd 250° - Rev 30°

For all countinuours rotation files



https://stomshop.pro

Nine Editable Memory Programs (M1 to M9)



Maximum Speed 1000rpm



Torque Auto Reverse



360° Clockwise Rotational Movement



Editable SPEED / RPM Setting




Editable Torque Setting



Forward Direction of Rotation



Reverse Direction of Rotation





One Piece Contra Angle Head





340° Adjustable Handpiece



Detachable Head



Miniature Head



Autoclavable

Unique Features of E-Connect Pro Endomotor



Torque Calibration



Digital OLED Display



Low Noise Motor



Ambidextrous* Display




Powerful 1600 mAh Lithium - ion Battery

* User can rotate the Endomotor Screen towards left or right https://stomshop.pro



Integration Option





Screen Cast / Mirroring*

* In connect function Endomotor mirrors Apex Locator's screen

E-CONNECT Pro PLUS E-PEX Pro

Integrate Endomotor with Apex Locator (Connect Function)





Apical Reverse



Apical Slow Down





E-PEX Pro APEX LOCATOR

Smart, Accurate and Reliable Apex Locator

- Advanced Multi frequency Technology
- High Precision in Wet & Dry Canals
- Large 3.5" LCD Display
- Automatic Calibration
- Compact Size & Stable Design
- Powerful 1600 mAh Lithium ion Battery





www.eighteeth.com